

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	CA same send with software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 16:55
L2	3	Conditional with Access same decode with decompress and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:24
L3	8	conditional adj2 access and send with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:27
L4	6	CA same send with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:27
L5	3	headend same send with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:28
L6	1	emm same send with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:28
L7	23	emm with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:31
L8	111	emm with program and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:31
L9	0	emm with decryption adj program and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:31
L10	524943	send decryption adj program and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:31
L11	4	send with decryption adj program and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:34

## EAST Search History

L12	7	send with descramble adj program and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:35
L13	74	send with descramble and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:41
L14	2	(transmit or send) with install\$4 with descramble and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:42
L15	0	(transmit or send) with (descramble or decrypt) adj2 instruction\$3 and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:42
L16	3	(transmit or send) with (descramble or decrypt) adj2 software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:43
L17	110	(descramble or decrypt) adj2 software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:44
L18	232	(descramble or decryption) adj2 software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:44
L19	141	(descramble or decryption) adj software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:45
L20	6	(send or transmit) with (descramble or decryption) adj software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:46
L21	0	head adj end with (descramble or decryption) adj software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:46
L22	0	head adj end same (descramble or decryption) adj software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:47
L23	0	conditional adj access same (descramble or decryption) adj software and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:48

## EAST Search History

L24	130	conditional adj access same algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:52
L25	265	"713"/\$.ccls. and (send or transmit) with algorithm and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:58
L26	31	setup with set adj top and @ad<"20010227"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 17:59